


PILLOW BLOCKS 带立式座外球面轴承





UCP200 SERIES
UCP200 系列

S-UCP200 SERIES S-UCP200 系列
SM-UCP200 SERIES SM-UCP200 系列

带座轴承型号 Bearing Unit NO.	轴 径 Shaft Dia		基本尺寸 Dimension (mm)												螺 栓 Bolt Used		轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	h	a	e	b	S2	S1	g	w	t	z	Bi	n	(mm)	(in)			
UCP201-8 202-9 202-10 203-11 UCP201 202 203	1/2 9/16 5/8 11/16	12 15 17	30.2	127	95	38	19	13	14	62	2	51	31	12.7	M10	3/8	UC201-8 202-9 202-10 203-11 UC201 202 203	P203	0.33
UCP204-12 UCP204	3/4	20	33.3	127	95	38	19	13	14	65	2	51	31	12.7	M10	3/8	UC204-12 UC204	P204	0.46
UCP205-13 205-14 205-15 205-16 UCP206	13/16 7/8 15/16 1	25	36.5	140	105	38	19	13	14	65	2	57	34.1	14.3	M10	3/8	UC205-13 205-14 205-15 205-16 UC206	P205	0.60
UCP206-17 206-18 206-19 206-20 UCP206	1-1/16 1-1/8 1-3/16 1-1/4	30	42.9	165	121	48	21	17	17	83	2	62	38.1	15.9	M14	1/2	UC206-17 206-18 206-19 206-20 UC207	P206	0.97
UCP207-20 207-21 207-22 207-23 UCP207	1-1/4 1-5/16 1-3/8 1-7/16	35	47.6	167	127	48	21	17	18	93	3	72	42.9	17.5	M14	1/2	UC207-20 207-21 207-22 207-23 UC207	P207	1.00
UCP208-24 208-25 UCP208	1-1/2 1-9/16	40	49.2	184	137	54	21	17	18	98	3	82	49.2	19.0	M14	1/2	UC208-24 208-25 UC208	P208	1.30
UCP209-26 209-27 209-28 UCP209	1-5/8 1-11/16 1-3/4	45	54	190	146	54	21	17	20	106	3	82	49.2	19.0	M14	1/2	UC209-26 209-27 209-28 UC209	P209	1.40
UCP210-29 210-30 210-31 210-32 UCP210	1-13/16 1-7/8 1-15/16 2	50	57.2	206	159	60	25	20	21	114	3	87	51.6	19.0	M16	5/8	UC210-29 210-30 210-31 210-32 UC210	P210	1.83
UCP211-32 211-33 211-34 211-35 UCP211	2 2-1/16 2-1/8 2-3/16	55	63.5	219	171	60	25	20	23	126	4	92	55.6	22.2	M16	5/8	UC211-32 211-33 211-34 211-35 UC211	P211	2.4
UCP212-36 212-37 212-38 212-39 UCP212	2-1/4 2-5/16 2-3/8 2-7/16	60	69.8	241	184	70	25	20	25	138	4	102	65.1	25.4	M16	5/8	UC212-36 212-37 212-38 212-39 UC212	P212	2.8
UCP213-40 213-41 UCP213	2-1/2 2-9/16	65	76.2	265	203	70	29	25	27	151	4	107	65.1	25.4	M20	3/4	UC213-40 213-41 UC213	P213	3.5
UCP214-42 214-43 214-44 UCP214	2-5/8 2-11/16 2-3/4	70	79.4	266	210	72	31	25	27	157			74.6	30.2	M20	3/4	UC214-42 214-43 214-44 UC214	P214	4.45
UCP215-45 215-46 215-47 215-48 UCP215	2-13/16 2-7/8 2-15/16 3	75	82.6	275	217	74	31	25	28	163			77.8	33.3	M20	3/4	UC215-45 215-46 215-47 215-48 UC215	P215	4.9
UCP216-50 UCP216	3-1/8	80	88.9	292	232	78	31	25	30	175			82.6	33.3	M20	3/4	UC216-50 UC216	P216	5.8
UCP217-52 UCP217	3-1/4	85	95.2	310	247	83	31	25	32	187			85.7	34.1	M20	3/4	UC217-52 UC217	P217	6.9
UCP218-56 UCP218	3-1/4	90	101.6	327	262	88	33	27	33	200			96.0	39.7	M22	7/8	UC218-56 UC218	P218	8.10


PILLOW BLOCKS 带立式座外球面轴承

UCP300 SERIES
UCP300 系列



带座轴承型号 BaerngUnit NO.	轴 径 Shaft Diad		基本尺寸 Dimension (mm)											螺 栓 Bolt Used		轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	h	a	e	b	S2	S1	g	w	Bi	n	(mm)	(in)				
UCP305-14 305-15 305-16 UCP305	7/8 15/18 1	25	45	175	132	45	20	17	15	85	38	15	1/2	M14	UCP305-14 305-15 305-16 UCP305	P305	0.90	
UCP306-18 306-19 UCP306	1-1/8 1-3/16	30	50	180	140	50	20	17	18	95	43	17	1/2	M14	UCP305-14 305-15 UCP305	P306	1.10	
UCP307-20 307-21 307-22 307-23 UCP307	1-1/4 1-5/16 1-3/8 1-7/16	35	56	210	160	56	25	17	20	106	48	19	1/2	M14	UCP307-20 307-21 307-22 307-23 UCP307	P307	1.95	
UCP308-24 308-25 UCP308	1-1/2 1-9/16	40	60	220	170	60	27	17	22	116	52	19	1/2	M14	UCP308-24 308-25 UCP308	P308	2.20	
UCP309-26 309-27 309-28 UCP309	1-5/8 1-11/16 1-3/4	45	67	245	190	67	30	20	24	129	57	22	5/8	M14	UCP309-26 309-27 309-28 UCP309	P309	3.30	
UCP310-30 310-31 UCP310	1-7/8 1-15/16	50	75	275	21	275	35	20	27	143	61	22	5/8	M16	UCP310-30 310-31 UCP310	P310	4.80	
UCP311-32 311-34 311-35 UCP311	2 2-3/8 2-3/16	55	80	310	236	80	38	20	30	154	66	25	5/8	M16	UCP311-32 311-34 311-35 UCP311	P311	5.30	
UCP312-36 312-38 312-39 UCP312	2-1/4 2-3/8 2-7/16	60	85	330	250	85	38	25	32	165	71	26	3/4	M20	UCP312-36 312-38 312-39 UC312	P312	6.30	
UCP313-40 UCP313	2-1/2	65	90	340	260	90	38	25	33	176	75	30	3/4	M20	UC313-40 UC313	P313	8.00	
UCP314-44 UCP314	2-3/4	70	95	360	280	90	40	27	35	187	78	33	7/8	M22	UC314-44 UC314	P314	8.30	
UCP315-48 UCP315	3	75	100	380	290	100	40	27	35	198	82	32	7/8	M22	UC315-48 UC315	P315	9.50	
UCP316-50 UCP316	3-1/8	80	106	400	300	110	40	27	40	210	86	34	7/8	M22	UC316-50 UC316	P316	12.50	
UCP317-52 UCP317	3-1/4	85	112	420	320	110	45	33	40	220	96	40	1	M27	UC317-52 UC317	P317	14.50	
UCP318-56 UCP318	3-1/2	90	118	430	330	110	45	33	45	235	96	40	1	M27	UC318-56 UC318	P318	20.40	
UCP319-60 UCP319	3-3/4	95	125	470	360	120	50	36	45	250	103	41	1-1/8	M30	UC319-60 UC319	P319	22.30	
UCP320-64 UCP320	4	100	140	490	380	120	50	36	50	275	108	42	1-1/8	M30	UC320-64 UC320	P320	25.00	
UCP321		105	140	490	380	120	50	36	50	280	112	44		M33	UC321	P321	24.00	
UCP322		110	150	520	400	140	55	40	55	300	117	46		M33	UC322	P322	27.50	
UCP324		120	160	570	450	140	55	40	65	320	126	51		M33	UC324	P324	32.30	
UCP326		130	180	600	480	140	55	40	75	355	135	54		M33	UC326	P326	41.00	
UCP328		140	200	620	500	140	55	40	75	390	145	59		M33	UC328	P328	50.00	

TWO-BOLT FLANGE UNITS 带菱形座外球面轴承



UCFL200 SERIES


UCFL200 系列

S-UCFL200 SERIES S-UCFL200 系列

SM-UCFL200 SERIES SM-UCFL200 系列

带座轴承型号 Bearing Unit NO.	轴 径 Shaft Diam		基本尺寸 Dimension (mm)												螺 栓 Bolt Used		轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	a	e	i	g	l	s	b	t	z ₁	z	BI	n	(in)	(mm)			
UCFL201-8 202-9 202-10 203-11 UCFL201 202 203	1/2 9/16 5/8 11/16	12 15 17	99	76.5	15	13	25.5	11.5	57			31	26	10	M10	3/8	UCW201-8 202-9 202-10 203-11 UCW201 202 203	FL203	0.25
UCFL201-8 202-9 202-10 203-11 204-12 UCFL201 202 203 204	1/2 9/16 5/8 11/16 3/4	12 15 17 20	113	90	15	12	25.5	12	60	2	40.5	33.3	31	12.7	M10	3/8	UC201-8 202-9 202-10 203-11 204-12 UC201 202 203 204	FL204	0.28
UCFL205-13 205-14 205-15 205-16 UCFL205	13/16 7/8 15/16 1	25	130	99	16	14	27	16	68	2	44.5	35.7	34.1	14.3	M14	1/2	UC205-13 205-14 205-15 205-16 UC205	FL205	0.4
UCFL206-17 206-18 206-19 206-20 UCFL206	1-1/16 1-1/8 1-3/16 1-1/4	30	148	117	18	14	31	16	80	2	49	40.2	38.1	15.9	M14	1/2	UC206-17 206-18 206-19 206-20 UC206	FL206	0.54
UCFL207-20 207-21 207-22 207-23 UCFL207	1-1/4 1-5/16 1-3/8 1-7/16	35	161	130	19	16	34	16	90	3	55	44.4	42.9	17.5	M14	1/2	UC207-20 207-21 207-22 207-23 UC207	FL207	0.65
UCFL208-24 208-25 UCFL208	1-1/2 1-9/16	40	175	144	21	16	36	16	100	3	62	51.2	49.2	19	M14	1/2	UC208-24 208-25 UC208	FL208	0.8
UCFL209-26 209-27 209-28 UCFL209	1-5/8 1-11/16 1-3/4	45	188	148	22	18	38	19	108	3	63	52.2	49.2	19	M16	5/8	UC209-26 209-27 209-28 UC209	FL209	1.15
UCFL210-26 210-27 210-28 210-28 UCFL210	1-13/16 1-7/8 1-15/16 2	50	197	157	22	18	40	19	115	3	66.5	54.6	51.6	19	M16	5/8	UC210-26 210-27 210-28 210-28 UC210	FL210	1.25
UCFL211-29 211-30 211-31 211-32 UCFL211	2 2-1/16 2-1/8 2-3/16	55	224	184	25	20	43	19	130	4	71	58.4	55.6	22.2	M16	5/8	UC211-29 211-30 211-31 211-32 UC211	FL211	1.85
UCFL212-36 212-37 212-38 212-39 UCFL212	2-1/4 2-5/16 2-3/8 2-7/16	60	250	202	29	20	48	23	140	4	80	68.7	65.1	25.4	M20	3/4	UC212-36 212-37 212-38 212-39 UC212	FL212	2.10
UCFL213-40 213-41 UCFL213	2-1/2 2-9/16	65	258	210	30	24	50	23	155	4	83.5	69.7	65.1	25.4	M20	3/4	UC213-40 213-41 UC213	FL213	2.8
UCFL214-42 214-43 214-44 UCFL214	2-5/8 2-11/16 2-3/4	70	265	216	31	24	54	23	160			75.4	74.6	30.2	M20	3/4	UC214-42 214-43 214-44 UC214	FL214	3.2
UCFL215-45 215-46 215-47 215-48 UCFL215	2-13/16 2-7/8 2-15/16 3	75	275	225	34	24	56	23	165			78.5	77.8	33.3	M20	3/4	UC215-45 215-46 215-47 215-48 UC215	FL215	2.8
UCFL216-45 UCFL216	3-1/8	80	290	233	34	24	58	25	180			83.3	82.6	33.3	M22	7/8	UC216-45 UC216	FL216	3.53
UCFL217-45 UCFL217	3-1/4	85	305	248	36	26	63	25	190			87.6	85.7	34.1	M22	7/8	UC217-45 UC217	FL217	5.5
UCFL218-45 UCFL218	3-1/2	90	320	265	40	26	68	25	205			96.3	96	39.7	M22	7/8	UC218-45 UC218	FL218	6.0

TWO-BOLT FLANGE UNITS 带菱形座外球面轴承









UCFL300 SERIES


UCFL300 系列

带座轴承型号 Bearing Unit NO.	轴 径 Shaft Diad		基本尺寸 Dimension (mm)										螺 栓 Bolt Used		轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	a	e	i	g	l	s	b	z	Bi	n	(in)	(mm)			
UCFL305-14 305-15 305-16 UCFL305	7/8 15-16 1	25	150	113	16	13	29	19	80	39	38	15	M16	5/8	UC305-14 305-15 305-16 UC305	FL305	0.7
UCFL306-18 306-19 UCFL306	1-1/8 1-3/16	30	180	134	18	15	32	23	90	44	43	17	M20	3/4	UC306-18 306-19 UC306	FL306	1.1
UCFL307-20 307-21 307-22 307-23 UCFL307	1-1/4 1-5/16 1-3/8 1-7/16	35	185	141	20	16	36	23	100	49	48	19	M20	3/4	UC307-20 307-21 307-22 307-23 UC307	FL307	1.2
UCFL308-24 308-25 UCFL308	1-1/2 1-9/16	40	200	158	23	17	40	23	112	56	52	19	M20	3/4	UC308-24 308-25 UC308	FL308	1.5
UCFL309-26 309-27 309-28 UCFL309	1-5/8 1-11/16 1-3/4	45	230	177	25	18	44	25	125	60	57	22	M22	7/8	UC309-26 309-27 309-28 UC309	FL309	2.2
UCFL310-30 310-31 UCFL310	1-7/8 1-15/16	50	240	187	28	19	48	25	140	67	61	22	M22	7/8	310-30 310-31 UC310	FL310	2.7
UCFL311-32 311-34 311-35 UCFL311	2 2-1/8 2-3/16	55	250	198	30	20	52	25	150	71	66	25	M22	7/8	UC311-32 311-34 311-35 UC311	FL311	3.15
UCFL312-36 312-38 312-39 UCFL312	2-1/4 2-3/8 2-7/16	60	270	212	33	22	56	31	160	78	71	26	M27	1	UC312-36 312-38 312-39 UC312	FL312	3.30
UCFL313-40 UCFL313	2-1/2	65	295	240	33	25	58	31	175	78	75	30	M27	1	UC313-40 UC313	FL313	5.00
UCFL314-44 UCFL314	2-3/4	70	315	250	36	28	61	35	185	81	78	33	M30	1-1/8	UC314-44 UC314	FL314	6.10
UCFL315-48 UCFL315	3	75	320	260	39	30	66	35	195	89	82	32	M30	1-1/8	UC315-48 UC315	FL315	6.50
UCFL316-50 UCFL316	3-1/8	80	355	285	38	32	68	38	210	90	86	34	M33	1-1/4	UC316-50 UC316	FL316	8.50
UCFL317-52 UCFL317	3-1/4	85	370	300	44	32	74	38	220	100	96	40	M33	1-1/4	UC317-52 UC317	FL317	10.50
UCFL318-56 UCFL318	3-1/2	90	385	315	44	36	75	38	235	100	96	40	M3	1-1/4	UC318-56 UC318	FL318	12.50
UCFL319-60 UCFL319	3-3/4	95	405	330	59	40	94	41	250	121	103	41	M36		UC319-60 UC319	FL319	16.00
UCFL320-64 UCFL320	4	100	440	360	59	40	94	44	270	125	108	42	M39		UC320-64 UC320	FL320	17.30
UCFL321		105	440	360	59	40	94	44	270	127	112	44	M39		UC321	FL321	15.00
UCFL322		110	470	390	60	42	96	44	300	131	117	46	M39		UC322	FL322	20.20
UCFL324		120	520	430	65	48	110	47	330	140	126	51	M42		UC324	FL324	29.50
UCFL326		130	550	460	65	50	115	47	360	146	135	54	M42		UC326	FL326	38.00
UCFL328		140	600	500	75	60	125	51	400	161	145	59	M45		UC328	FL328	54.00

PLUMMER BLOCKS 带剖分座轴承

SN500 SERIES SN500 系列
SSN500 SERIES SSN500 系列


[illegible]




SN600 SERIES SN600 系列
SSN600 SERIES SSN600 系列

轴承型号 Bearing Unit NO.	轴 径 Shaft Dia d (mm)	基本尺寸 Dimension (mm)																座重量 Housing wt (kg)	轴承型号 Housing NO.	紧定套 Aspater Sleeve		定位环 Locating Ring		轴承型号 Hou
		D	d	a	b	c	g	h ₁₂	L	L ₁	W	m	n	u	v	s	d ₁₂			H ₁₂	h ₁₂	i _r	数量 QTY	
SN605	20	3/4	62	185	52	22	34	50	80	83	90	150	25	15	20	M12	21.5	31	3	4.2	2.1	H305 SR62×8.5	2	SN605
SN606	25	1	72	185	52	22	37	50	82	85	95	150	25	15	20	M12	26.5	38	4	5.4	3.1	H305 SR65×10	2	SN606
SN607	30	1-1/8	80	205	60	25	41	60	90	93	110	170	30	15	20	M12	31.5	43	4	5.4	3.73	H307 SR72×10	2	SN607
SN608	35	1-1/4	90	205	60	25	43	60	95	100	115	170	30	15	20	M12	36.5	48	4	5.4	4.6	H308 SR80×10	2	SN608
SN609	40	1-1/2	100	255	70	28	46	70	105	110	130	210	35	18	23	M16	41.5	53	4	5.4	5.7	H309 SR100×10.5	2	SN609
SN610	45	1-3/4	110	255	70	30	50	70	115	120	135	210	35	18	23	M16	46.5	58	4	5.4	6.0	H310 SR110×11.5	1	SN610
SN611	50	2	120	275	80	30	53	80	120	125	150	230	40	18	23	M16	51.5	67	5	6.9	6.8	H311 SR120×12	2	SN611
SN612	55	2-1/8	130	280	80	30	56	80	125	130	155	230	40	18	23	M16	56.5	72	5	6.9	11	H312 SR130×10	2	SN612
SN613	60	2-1/4	140	315	90	32	58	95	130	135	175	260	50	22	27	M20	62	77	5	6.8	14	H313 SR140×10	2	SN613
SN615	65	2-1/2	160	345	100	35	65	100	140	145	195	290	50	22	27	M20	67	82	5	6.8	15.2	H315 SR160×14	2	SN615
SN616	70	2-3/4	170	345	100	35	68	112	145	150	212	290	50	22	27	M20	72	89	6	8.1	17.8	H316 SR170×14.5	1	SN616
SN617	75	3	180	380	110	40	70	112	155	160	218	320	60	26	32	M24	77	94	6	8.1	25	H317 SR180×10	2	SN617
SN618	80	3-1/4	190	400	110	33	74	112	160	165	230	320	60	26	35	M24	82	99	6	8.1	25.3	H318 SR190×15.5	2	SN618
SN619	85	200	420	120	36	77	125	170	175	245	350	70	26	35	M24	87	104	6	8.1	27	H319 SR200×16	2	SN619	
SN620	90	3-1/2	215	420	120	38	83	140	175	180	280	350	70	26	35	M24	92	111	7	9.3	32	H320 SR215×18	1	SN620
SN622	100	4	240	460	130	40	90	150	190	195	300	390	70	28	38	M24	102	125	8	10.8	43.4	H322 SR240×20	2	SN622
SN624	110	4-1/4	260	540	160	50	96	160	205	20	325	450	90	33	42	M30	113	135	8	10.7	51	H322 SR240×10	2	SN624
SN626	115	4-1/2	280	560	160	50	103	170	215	220	350	470	90	33	42	M30	118	140	8	10.7	64	H324 SR260×10	2	SN626
SN628	125	5	300	630	170	55	112	180	235	240	375	520	90	35	45	M30	128	154	9	12.2	78	H326 SR280×10	2	SN628
SN630	135	5-1/4	320	680	180	55	118	190	245	250	395	560	90	35	45	M30	138	164	9	12.2	105	H328 SR300×10	2	SN630
SN632	140	5-1/2	340	710	190	60	124	200	255	260	415	560	100	42	52	M36	143	173	10	13.7	122.3	H330 SR320×10	2	SN632
SN636	140	5-1/2	340	710	190	60	124	200	255	260	415	560	100	42	52	M36	143	173	10	13.7	135.6	H332 SR340×10	2	SN636

SNU500 SERIES
SNU500 系列




带座轴承型号 Bearing Unit NO.	轴 径 Shaft Dia (mm)	基本尺寸 Dimension (mm)																		座 重 量 Housing Wt (kg)	轴承型号 Housing NO.	定位环 Locating Ring		轴承型号 Housing No.	
		H H12	a	e	b	u	v	c	W	L	d1 H12	d2 H12	n	J	F	g H12	Da H8	S							
																		(2)	(4)						
SNU505	20	40	165	130	46	13	20	19	71	67	31.5	39.5		7.5	5	25	52	M10		1.9	1205K	H205	SRE2 × 5	2	SNU505
SNU506-605	25	50	185	150	52	13	22	22	87	77	36.5	44.5		7.5	5	32	62	M10		2.2	1206K	H206	SRE2 × 5	2	SNU506-605
SNU507-606	30	50	185	150	52	13	20	22	92	82	46.5	54.5		7.5	5	34	72	M10		2.4	1207K	H207	SRE2 × 8.5	2	SNU507-606
SNU508-607	35	60	205	170	60	15	20	25	106	85	51.5	59.5		7.5	5	39	80	M12		3.2	1206K	H208	SRE2 × 10.5	2	SNU508-607
SNU509	40	60	205	170	60	15	20	25	109	85	56.5	64.5		8.5	5	30	85	M12		3.5	1209K	H209	SRE5 × 5.5	2	SNU509
SNU510-608	45	60	205	170	60	15	20	25	112	90	62	70.5		8.5	5	41	90	M12		3.85	1210K	H210	SRE0 × 10.5	2	SNU510-608
SNU511-609	50	70	255	210	70	18	23	28	127	95	67	75.5	35	8.5	5	44	100	M16	M12	5.2	1211K	H311	SRE100 × 9.5	2	SNU511-609
SNU512-610	55	70	255	210	70	18	23	30	133	105	72	80.5	35	8.5	5	48	110	M16	M12	6.7	1212K	H312	SRE110 × 13	2	SNU512-610
SNU513-611	60	80	275	230	80	18	24	30	148	110	77	85.5	35	8.5	5	51	120	M16	M12	7.9	1213K	H313	SRE120 × 14	2	SNU513-611
SNU515-612	65	80	280	230	80	18	26	30	154	115	87	95.5	40	8.5	5	56	130	M16	M12	7.7	1215K	H315	SRE130 × 15.5	2	SNU515-612
SNU516-613	70	95	315	260	90	22	29	32	175	120	92.5	101	40	10.5	5	58	140	M20	M12	11.0	1216K	H316	SRE140 × 16	2	SNU516-613
SNU517	75	95	320	260	90	22	30	32	181	125	97.5	106	50	10.5	5	61	150	M20	M12	12.7	1217K	H317	SRE150 × 12.5	2	SNU517
SNU518-615	80	100	345	290	100	22	27	35	192	140	102.5	111	50	10.5	5	65	160	M20	M16	14.8	1218K	H318	SRE160 × 17.5	2	SNU518-615
SNU519-616	85	112	345	290	100	22	27	35	209	145	131	141	50	11.5	5	68	170	M20	M16	15.5	1219K	H319	SRE170 × 18.5	2	SNU519-616
SNU520-617	90	112	380	320	110	26	32	40	215	160	137.5	147.5	60	11.5	6	70	180	M24	M16	18.4	1220K	H320	SRE180 × 17.5	2	SNU520-617
SNU522-619	100	125	410	350	120	26	32	45	239	175	147.5	157.5	70	11.5	6	80	200	M24	M16	24.8	1222K	H322	SRE190 × 12.5	2	SNU522-619
SNU524-620	110	140	410	350	120	26	32	45	271	185	157.5	167.5	70	11.5	6	86	215	M24	M16	32.2	1224K	H324	SRE200 × 10.2	2	SNU524-619
SNU526	115	150	445	380	130	28	35	50	290	190	167.5	177.5	70	13	6	90	230	M24	M20	39.8	1226K	H326	SRE215 × 14	2	SNU526
SNU528	125	150	500	420	150	35	42	50	302	205	177.5	187.5	80	13	6	98	250	M30	M24	48.8	1228K	H328	SRE230 × 13	2	SNU528
SNU530	135	160	530	450	160	35	42	60	323	220	192.5	202.5	90	13.5	6	106	270	M30	M24	56.5	1230K	H330	SRE270 × 16.5	2	SNU530
SNU532	140	170	550	470	160	35	42	60	344	235	202.5	212.5	90	13.5	6	114	290	M30	M24	63.5	1232K	H332	SRE290 × 10	2	SNU532



SNG500 SERIES
SNG500 系列

带座轴承型号 Bearing Unit NO.	轴 径 Shaft Dia d (mm)	基本尺寸 Dimension (mm)																	座重量 Housing wt (kg)	轴承座型号 Housing NO.	定位环 Locating Ring		轴承型号 Hou sing No.	
		H h12	a	e	b	u	v	c	W	L	d1 H12	d2 H12	n	J	F	g H12	Da H8	S			规格 Number	数量 QTY		
																		(2)						(4)
SNG507-606	30	50	185	150	52	13	20	22	92	82	46.5	54.5		7.5	5	34	72	M10	2.4	1207K 22207K	H207	SR72 × 8.5 SR72 × 5.5	2	SNG507-606
SNG508-607	35	60	205	170	60	15	20	25	106	85	51.5	59.5		7.5	5	39	80	M12	3.2	1208K 22208K	H208	SR80 × 10.5 SR80 × 8	2	SNG508-607
SNG509	40	60	205	170	60	15	20	25	109	85	56.5	64.5		8.5	5	30	85	M12	3.5	1209K 22209K	H209	SR85 × 5.5 SR85 × 7	1	SNG509
SNG510-608	45	60	205	170	60	15	20	25	112	90	62	70.5		8.5	5	41	90	M12	3.85	1210K 22210K	H210	SR90 × 10.5 SR90 × 9	2	SNG510-608
SNG511-609	50	70	255	210	70	18	23	28	127	95	67	75.5	35	8.5	5	44	100	M16	5.2	1211K 22211K	H211	SR100 × 11.5 SR100 × 9.5	2	SNG511-609
SNG512-610	55	70	255	210	70	18	23	30	133	105	72	80.5	35	8.5	5	48	110	M16	6.7	1212K 22212K	H212	SR110 × 13 SR110 × 10	2	SNG512-610
SNG513-611	60	80	275	230	80	18	24	30	148	110	77	85.5	35	8.5	5	51	120	M16	7.9	1213K 22213K	H213	SR120 × 14 SR120 × 10	2	SNG513-611
SNG515-612	65	80	280	230	80	18	26	30	154	115	87	95.5	40	8.5	5	56	130	M16	7.7	1215K 22215K	H215	SR130 × 15.5 SR130 × 12.5	2	SNG515-612
SNG516-613	70	95	315	260	90	22	29	32	175	120	92.5	101	40	10.5	5	58	140	M20	11.0	1216K 22216K	H217	SR140 × 16 SR140 × 12.5	2	SNG516-613
SNG517	75	95	320	260	90	22	30	32	181	125	97.5	106	50	10.5	5	61	150	M20	12.7	1217K 22217K	H217	SR150 × 16.5 SR150 × 12.5	2	SNG517
SNG518-615	80	100	345	290	100	22	27	35	192	140	102.5	111	50	10.5	5	65	160	M20	14.8	1218K 22218K	H218	SR160 × 17.5 SR160 × 12.5	2	SNG518-615
SNG519-616	85	112	345	290	100	22	27	35	209	145	131	141	50	11.5	6	68	170	M20	15.5	1219K 22219K	H219	SR170 × 18 SR170 × 12.5	2	SNG519-616
SNG520-617	90	112	380	320	110	26	32	40	215	160	137.5	147.5	60	11.5	6	70	180	M24	18.4	1220K 22220K	H220	SR180 × 17.5 SR180 × 12.5	1	SNG520-617
SNG522-619	100	125	410	350	120	26	32	45	239	175	147.5	157.5	70	11.5	6	80	200	M24	24.8	1222K 22222K	H222	SR200 × 21 SR200 × 10.2	2	SNG522-619
SNG524-620	110	140	410	350	120	26	32	45	271	185	157.5	167.5	70	11.5	6	86	215	M24	32.2	2224K 2324K	H224	SR215 × 14 SR215 × 10	2	SNG524-619
SNG526	115	150	445	380	130	28	35	50	290	190	167.5	177.5	70	13	6	90	230	M24	38.8	2226K 2326K	H226	SR230 × 13 SR230 × 10	1	SNG526
SNG528	125	150	500	420	150	35	42	50	302	205	177.5	187.5	80	13	6	98	250	M30	48.8	2228K 2328K	H228	SR250 × 15 SR250 × 10	1	SNG528
SNG530	135	160	530	450	160	35	42	60	323	220	192.5	202.5	90	13.5	6	106	270	M30	56.5	2230K 2330K	H230	SR270 × 16.5 SR270 × 10	2	SNG530
SNG532	140	170	550	470	160	35	42	60	344	235	202.5	212.5	90	13.5	6	114	290	M30	63.5	2232K 2332K	H232	SR290 × 17 SR290 × 10	2	SNG532


SD200、SD300 系列大孔径



型 号		轴 径		D H8	L	b	c	h h13	g H13	g1 H13	W	H
固定端	自由端	d	d ₁									
SD234G	SD234Z	170	190	310	620	250	60	180	96	86	270	360
SD236G	SD236Z	180	200	320	650	260	60	190	96	86	280	380
SD238G	SD238Z	190	210	340	700	280	65	200	102	92	290	400
SD240G	SD240Z	200	220	360	740	290	65	210	108	98	300	420
SD244G	SD244Z	220	240	400	820	320	70	240	118	108	330	475
SD248G	SD248Z	240	260	440	880	330	85	260	130	120	340	515
SD252G	SD252Z	260	280	480	940	360	85	280	140	130	370	560
SD256G	SD256Z	280	300	500	990	380	100	300	140	130	390	590
SD260G	SD260Z	300	320	540	1060	400	100	325	150	140	410	640
SD264G	SD264Z	320	340	580	1110	430	110	355	160	150	440	690

SD334G	SD334Z	170	190	360	740	290	65	210	130	120	300	420
SD336G	SD336Z	180	200	380	780	310	70	225	136	126	320	450
SD338G	SD338Z	190	210	400	820	320	70	240	142	132	330	475
SD340G	SD340Z	200	220	440	880	330	85	260	148	138	350	500
SD344G	SD344Z	220	240	480	940	360	85	280	155	145	360	550
SD348G	SD348Z	240	260	500	990	380	100	300	165	155	390	590
SD352G	SD352Z	260	280	540	1060	400	100	325	175	165	410	640
SD356G	SD356Z	280	300	580	1110	430	110	355	185A	175	440	690


PLUMMER BLOCKS 带剖分座轴承



SD500 SERIES
SD600 SERIES
SD500 系列
SD500 系列

带座轴承型号 Bearing Unit NO.	轴 径 Shaft Dia d1 (mm)	基本尺寸 Dimension (mm)																座重量 Housing wt (kg)	轴承型号 Bearing NO.	紧定套 Adapter Sleeve	定位环 Locating Ring		轴承型号 Housing No.	
		D H8	a	b	c	g H12	h h12	L	W	m	n	u	v	S	d2 H12	d3 H12	f1 H12				f2	规格 Number		数量 QTY
SD534	150	310	620	230	60	106	180	270	360	510	140	36	52	M30	153	183	10	13.8	92	22234K	H3134	SR310 × 10	2	SD534
SD536	160	320	650	240	60	106	190	280	380	540	150	36	52	M30	163	193	10	13.8	105	22236K	H3136	SR320 × 10	2	SD536
SD538	170	340	700	260	65	112	200	290	400	570	160	36	55	M30	173	203	10	13.8	125	22238K	H3138	SR340 × 10	2	SD538
SD540	180	360	740	270	65	118	210	300	420	610	170	36	55	M30	183	213	10	13.8	140	22240K	H3140	SR360 × 10	2	SD540
SD544	200	400	820	300	70	128	240	330	747.5	680	190	43	62	M36	203	240	11	15.7	200	22244K	H3144	SR400 × 10	2	SD544
SD548	220	440	880	310	85	140	260	340	515	740	200	43	62	M36	223	260	11	15.7	230	22248K	H3148	SR440 × 10	2	SD548
SD552	240	480	940	340	85	150	280	370	560	790	210	43	62	M46	243	286	12	17.4	300	22252K	H3152	SR480 × 10	2	SD552
SD556	260	500	990	370	100	150	300	390	590	830	230	50	70	M42	263	306	12	17.4	350	22256K	H3156	SR500 × 10	2	SD556
SD560	280	540	1060	390	100	160	325	410	640	890	250	50	70	M42	283	332	13	19.1	450	22260K	H3160	SR540 × 10	2	SD560
SD564	300	580	1110	420	110	170	355	440	690	930	270	58	77	M48	303	352	13	19.1	550	22264K	H3164	SR580 × 10	2	SD564
SD634	150	360	740	270	65	130	210	300	420	610	170	36	55	M30	153	183	10	13.8	140	22234K	H2334	SR320 × 10	2	SD634
SD636	160	380	780	290	70	136	225	320	450	640	180	43	62	M36	163	193	10	13.8	170	22236K	H2336	SR340 × 10	2	SD636
SD638	170	400	820	300	70	142	240	330	475	680	190	43	62	M36	173	203	10	13.8	200	22238K	H2338	SR360 × 10	2	SD638
SD640	180	420	860	320	85	148	250	350	500	710	200	43	62	M36	183	213	10	13.8	230	22240K	H2340	SR400 × 10	2	SD640
SD644	200	460	920	330	85	155	280	360	550	770	210	43	62	M36	203	240	11	15.7	290	22244K	H2344	SR440 × 10	2	SD644
SD648	220	500	990	370	100	165	300	390	590	830	230	50	70	M42	223	260	11	15.7	350	22248K	H2348	SR480 × 10	2	SD648
SD652	240	540	1060	390	100	175	325	410	640	890	250	50	70	M42	243	286	12	17.4	450	22252K	H2352	SR500 × 10	2	SD652
SD656	260	580	1110	420	110	185	355	440	690	930	270	58	77	M48	263	306	12	17.4	550	22256K	H2356	SR540 × 10	2	SD656


BALL BEARING INSERTS 外球面球轴承



UC200 SERIES UC200 系列

座轴承型号 Housing NO.	轴 径 Shaft Dia d1		基本尺寸 Dimension (mm)									额定动载荷 Basic Load Rating (kg)	额定静负荷 Basic Static Load Rating (kg)	座重量 Housing wt (kg)
	(in)	(mm)	D	Bi	Be	r	n	m	G	ds	T			
UCW201-8 202-10 203-11 UCW201 202 203	1/2 5/8 11/16	12 15 17	40	26	15	1	10	16	4	10-32UHF M5 × 0.8	4	900	580	0.19 0.18 0.17 0.15 0.20 0.18
UC201-8 202-10 203-11 204-12 UC201 202 203 204	1/2 5/8 11/16 3/4	12 15 17 20	47	31	17	1	12.7	18.3	4.5	1/4-28 M6 × 0.75	3.7	1000	630	0.20 0.19 0.18 0.16 0.21 0.19 0.18 0.16
UC205-14 205-15 205-16 UC205	7/8 15/16 1	25	52	34.1	17	1.5	14.3	19.8	5	1/4-28 M6 × 0.75	3.9	1100	710	0.22 0.20 0.19 0.19
UC206-17 206-18 206-19 206-20 UC206	1-1/16 1-1/8 1-3/16 1-1/4	30	62	38.1	19	1.5	15.9	22.2	5	5/16-24 M8 × 1	5	1540	1020	0.36 0.34 0.32 0.31 0.31
UC207-20 207-21 207-22 207-23 UC207	1-1/4 1-5/16 1-3/8 1-7/16	35	72	42.9	20	2	17.5	25.4	6	5/16-24 M8 × 1	5.7	2030	1400	0.52 0.50 0.48 0.46 0.46
UC208-24 208-25 UC208	1-1/2 1-9/16	40	80	49.2	21	2	19.0	30.2	8	5/16-24 M8 × 1	6.2	2300	1600	0.68 0.64 0.63
UC209-26 209-27 209-28 UC209	1-5/8 1-11/16 1-3/4	45	85	49.2	22	2	19.0	30.2	8	5/16-24 M8 × 1	6.4	2560	1810	0.78 0.74 0.70 0.68
UC210-30 210-31 UC210	1-7/8 1-15/16	50	90	51.6	24	2	19.0	32.6	10	3/8-24 M10 × 1.25	6.5	2750	2020	0.85 0.80 0.78
UC211-32 211-34 211-35 UC211	2 2-1/8 2-3/16	55	100	55.6	25	2.5	22.2	33.4	10	3/8-24 M10 × 1.25	7	3400	2550	1.22 1.10 1.05 1.07
UC212-36 212-38 212-39 UC212	2-1/4 2-3/8 2-7/16	60	110	65.1	27	2.5	25.4	39.7	10	3/8-24 M10 × 1.25	7.6	4100	3150	1.65 1.49 1.42 1.52
UC213-40 UC213	2-1/2	65	120	65.1	28	2.5	25.4	39.7	10	3/8-24 M10 × 1.25	8.9	4480	3470	1.88 1.80
UC214-44 UC214	2-3/4	70	125	74.6	30	2.5	30.2	44.4	12	7/16-20 M12 × 1.5	8.9	4870	3810	2.07 2.06
UC215-47 215-48 UC215	2-15/16 3	75	130	77.8	32	2.5	33.3	44.5	12	7/16-20 M12 × 1.5	8.9	5200	4200	2.21 2.11 2.19
UC216-50 UC216	3-1/8	80	140	82.6	33	3	33.3	49.3	14	7/16-20 M12 × 1.5	9.6	5700	4550	2.90 2.82
UC217-52 UC217	3-1/4	85	150	85.7	35	3	34.1	51.6	14	7/16-20 M12 × 1.5	10	6600	5320	3.56 3.46
UC218-56 UC218	3-1/2	90	160	96.0	37	3	39.7	56.3	15	7/16-20 M12 × 1.5	11	7550	6170	4.62 4.53

BALL BEARING INSERTS 外球面球轴承



UC300 SERIES

UC300 系列

座轴承型号 Housing NO.	轴 径 Shaft Diad1		基本尺寸 Dimension (mm)									额定动载荷 Basic Load Rating (kg)	额定静负荷 Basic Static Load Rating (kg)	座重量 Housing wt (kg)
	(in)	(mm)	D	Bi	Be	r	n	m	G	ds	T			
UC305-14 305-15 305-16 UC305	1/8 15/16 1	25	62	38	21	2	15	23	6	1/4-28 M6 x 0.75	6.1	1760	1160	0.39 0.37 0.35 0.35
UC306-18 306-19 UC306	1-1/8 1-3/16	30	72	43	23	2	17	26	6	1/4-28 M6 x 0.75	6.7	2119	1445	0.60 0.54 0.56
UC307-20 307-21 307-22 UC307	1-1/4 1-5/16 1-3/8	35	80	48	25	2.5	19	29	8	5/16-24 M8 x 1	7.4	2620	1830	0.81 0.79 0.75 0.75
UC308-24 308-25 UC308	1-1/2 1-9/16	40	90	52	27	2.5	19	33	10	3/8-24 M10 x 1.25	8.2	3200	2280	1.07 1 1
UC309-26 309-27 309-28 UC309	1-5/8 1-11/16 1-3/4	45	100	57	30	2.5	22	35	10	3/8-24 M10 x 1.25	9	4150	3060	1.39 1.33 1.28 1.26
UC310-30 310-31 UC310	1-7/8 1-15/16	50	110	61	32	3	22	39	12	7/16-20 M12 x 1.5	10	4850	3640	1.75 1.67 1.65
UC311-32 311-34 311-35 UC311	2 2-1/2 2-3/16	55	120	66	34	3	25	41	12	7/16-20 M12 x 1.5	10.7	5620	4280	2.3 2.2 2 2.1
UC312-36 312-38 312-39 UC312	2-1/4 2-3/8 2-7/16	60	130	71	36	3.5	26	45	12	7/16-20 M12 x 1.5	11.5	6420	4960	2.8 2.6 2.6 2.5
UC313-40 UC313	2-1/2	65	140	75	38	3.5	30	45	12	7/16-20 M12 x 1.5	12.2	7370	5780	3.46 3.32
UC314-44 UC314	2-3/4	70	150	78	40	3.5	33	45	12	7/16-20 M12 x 1.5	13	8170	6180	3.9 3.9
UC315-48 UC315	3	75	160	82	42	3.5	32	50	14	1/2-20 M14 x 1.5	13.8	8900	7310	4.33 4.18
UC316-50 UC316	3-1/8	80	170	86	44	3.5	34	52	14	1/2-20 M14 x 1.5	14.5	9650	8330	5.25
UC317-52 UC317	3-1/4	85	180	96	46	4	40	56	16	5/8-20 M16 x 1.5	15	10410	9130	7 6.7
UC318-56 UC318	3-1/2	90	190	96	48	4	40	56	16	5/8-20 M16 x 1.5	15.9	11300	10300	7.65 7.60
UC319-60 UC319	3-3/4	95	200	103	50	4	41	62	16	5/8-20 M16 x 1.5	16.7	12300	11600	8.75 8.75
UC320-64 UC320	4	100	215	108	54	4	42	66	18	3/4-16 M18 x 1.5	18	14300	12800	10.03 10.28
UC321		105	225	112	56	4	44	68	18	M18 x 1.5	19	18700	16300	12.3
UC322		110	240	117	60	4	46	71	18	M18 x 1.5	21	20900	18300	14.5
UC324		120	260	126	64	4	51	75	18	M18 x 1.5	22	21100	18400	18.7
UC326		130	280	135	68	5	54	81	20	M20 x 1.5	23	23400	20400	23.3
UC328		140	300	145	73	5	59	86	20	M20 x 1.5	25	26000	22700	28.9